



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Icosit[®] KC 340/65 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

Product use : Polyurethane coating.

1.3 Details of the supplier of the safety data sheet

| Company | : Sika Deutschland GmbH Kornwestheimer Str. 103-107 70439 Stuttgart |
|----------------|---|
| Telephone | : +4971180090 |
| E-mail address | : EHS@de.sika.com |

1.4 Emergency telephone number

| Emergency telephone num- | : 0173-6774799 Out of office hours only |
|--------------------------|---|
| ber | EHS@de.sika.com |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

| Acute toxicity, Category 4 | H332: Harmful if inhaled. |
|---|--|
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Eye irritation, Category 2 | H319: Causes serious eye irritation. |
| Respiratory sensitisation, Category 1 | H334: May cause allergy or asthma symptoms or |
| | breathing difficulties if inhaled. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Carcinogenicity, Category 2 | H351: Suspected of causing cancer. |
| Specific target organ toxicity - single ex- | H335: May cause respiratory irritation. |
| posure, Category 3, Respiratory system | |
| Specific target organ toxicity - repeated | H373: May cause damage to organs through pro- |
| exposure, Category 2 | longed or repeated exposure. |
| | |
| Classification (67/548/EEC, 1999/45/EC) | |
| Harmful | R20: Harmful by inhalation. |
| namna | |
| | R48/20: Harmful: danger of serious damage to |
| | health by prolonged exposure through inhalation. |
| | nearth by profonged exposure through initiation. |





| Carcinogenic Category 3 | | R40: Limited evidence of a carcinogenic effect. |
|--------------------------|---|---|
| Sensitising | | R42/43: May cause sensitisation by inhalation and skin contact. |
| Irritant | | R36/37/38: Irritating to eyes, respiratory system and skin. |
| 2.2 Label elements | | |
| Labelling (REGULATION (| EC) No 1272/2 | 008) |
| Hazard pictograms | | |
| Signal word | : Danger | • |
| Hazard statements | : H315 H317 H319 H332 H334 H335 H351 H373 | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure. |
| Precautionary statements | Prevention P201 P260 P280 P281 Respons P308 + P P333 + P | Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ va- pours/ spray. Wear protective gloves/ eye protection/ face protection. Use personal protective equipment as re- quired. e: 313 IF exposed or concerned: Get medical ad- vice/ attention. |

Hazardous components which must be listed on the label:

618-498-9
 500-415-1
 Diphenylmethanediisocyanate, isomeres and homologues
 4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with butane-1,3-diol, 2,4'-diisocyanatodiphenylmethane, 2,2'-oxydiethanol and propane-1,2-diol

Additional Labelling:

Contains isocyanates. May produce an allergic reaction.





2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical Name CAS-No. EC-No. | Classification (67/548/EEC) | Classification (REGULATION (EC) No | Concentration [%] |
|---|--|--|----------------------|
| Registration number | | 1272/2008) | |
| Diphenylmethanediisocyanate, iso- meres and homologues 9016-87-9 618-498-9 | Carc.Cat.3; R40 Xn; R20-R48/20 Xi; R36/37/38 R42/43 | Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2; H319 Resp. Sens.1; H334 Skin Sens.1; H317 Carc.2; H351 STOT SE3; H335 STOT RE2; H373 | >= 50 - <= 100 |
| 4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with bu- tane-1,3-diol, 2,4'- diisocyanatodiphenylmethane, 2,2'- oxydiethanol and propane-1,2-diol 158885-29-1 500-415-1 01-2119480402-45-XXXX | Carc.Cat.3; R40 Xi; R36/37/38 Xn; R20-R48/20 R42/43 | Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2; H319 Resp. Sens.1; H334 Skin Sens.1; H317 Carc.2; H351 STOT SE3; H335 STOT RE2; H373 | >= 50 - <= 100 |

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
|-------------------------|--|
| If inhaled | : Move to fresh air. Consult a physician after significant exposure. |
| In case of skin contact | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. |
| In case of eye contact | : Immediately flush eye(s) with plenty of water. |
| Country DE 00000043403 | |



| | Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
|------------------------------------|--|
| If swallowed | Clean mouth with water and drink afterwards plenty of water. Induce vomiting immediately and call a physician. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. |
| 4.2 Most important symptoms ar | nd effects, both acute and delayed |
| Symptoms | : Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms. |
| Risks | : irritant effects sensitising effects |
| 4.3 Indication of any immediate I | medical attention and special treatment needed |
| Treatment | : Treat symptomatically. |
| SECTION 5: Firefighting meas | sures |
| 5.1 Extinguishing media | |
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. |
| 5.2 Special hazards arising from | the substance or mixture |
| Hazardous combustion prod- ucts | : No hazardous combustion products are known |
| 5.3 Advice for firefighters | |
| Special protective equipment | : In the event of fire, wear self-contained breathing apparatus. |

for firefighters

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : Use personal protective equipment. | |
|----------------------|--------------------------------------|--|
| | | |





Deny access to unprotected persons.

6.2 Environmental precautions

| Environmental precautions | : | Do not flush into surface water or sanitary sewer system. |
|---------------------------|---|---|
| | | If the product contaminates rivers and lakes or drains inform |
| | | respective authorities. |

6.3 Methods and materials for containment and cleaning up

| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, |
|-------------------------|---|
| | acid binder, universal binder, sawdust). |
| | Keep in suitable, closed containers for disposal. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling : | Avoid formation of aerosol. Avoid exceeding of the given oc- cupational exposure limits (see section 8). Do not get in eyes on skin, or on clothing. For personal protection see section 8 Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or ex- haust in work rooms. Follow standard hygiene measures when handling chemical products | |
|--|---|--|
| Advice on protection against : fire and explosion | Normal measures for preventive fire protection. | |
| Hygiene measures : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. | |
| Conditions for safe storage, inc | luding any incompatibilities | |
| Requirements for storage : areas and containers | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations. | |

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

7.2





Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters


| Components | CAS-No. | Value | Control parame- ters * | Basis * |
|--|-----------|-------|---------------------------|-------------|
| Diphenylmethanediisocyanate, isomeres and homologues | 9016-87-9 | AGW | 0,05 mg/m3 | DE TRGS 900 |

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

| Eye protection | : | Safety glasses with side-shields Eye wash bottle with pure water |
|--------------------------|---|---|
| Hand protection | : | Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. |
| | | Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. |
| Skin and body protection | : | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. |
| Respiratory protection | : | Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) |





A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

| General advice | : Do not flush into surface water or sanitary sewer system. |
|----------------|---|
| | If the product contaminates rivers and lakes or drains inform |
| | respective authorities. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | : | liquid |
|---|---|--------------------------|
| Colour | : | brown |
| Odour | : | characteristic |
| Odour Threshold | : | No data available |
| Flash point | : | 101 °C |
| Ignition temperature | : | not applicable |
| Lower explosion limit (Vol%) | : | No data available |
| Upper explosion limit (Vol%) | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Oxidizing properties | : | No data available |
| Auto-ignition temperature | : | No data available |
| рН | : | No data available |
| Melting point/range / Freez- ing point | : | No data available |
| Boiling point/boiling range | : | No data available |
| Vapour pressure | : | No data available |
| Density | : | ca.1,2 g/cm3 at 20 °C |

Revision Date 05.06.2014



| Water solubility | : | Note: insoluble |
|--|---|------------------------|
| Partition coefficient: n- octanol/water | : | No data available |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | > 7 mm2/s at 40 °C |
| Relative vapour density | : | No data available |
| Evaporation rate | : | No data available |
| | | |

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

<u>Components:</u>

| Diphenylmethanediisocyanate | e, isomeres and homologues : |
|-----------------------------|------------------------------|
| | |

Acute oral toxicity : LD50 Oral rat: > 10.000 mg/kg

| Acute inhalation toxicity | Acute toxicity estimate 1,5 mg/l |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|





| | Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement |
|-----------------------------|--|
| Acute dermal toxicity | : LD50 Dermal rabbit: > 9.400 mg/kg |
| | yanate, oligomeric reaction products with butane-1,3-diol, 2,4'- |
| diisocyanatodiphenylmethane | e, 2,2'-oxydi : |
| Acute oral toxicity | : LD50 Oral rat: > 5.000 mg/kg |
| Acute inhalation toxicity | : LC50 rat: 0,49 mg/l Exposure time: 4 h |
| Acute dermal toxicity | : LD50 Dermal rabbit: > 9.400 mg/kg |
| Skin corrosion/irritation | |

Product

Causes skin irritation.

Serious eye damage/eye irritation

Product

Causes serious eye irritation.

Respiratory or skin sensitisation

Product

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Product

| Mutagenicity | : | No data available |
|--------------|---|-------------------|
|--------------|---|-------------------|

Carcinogenicity

Product

Carcinogenicity

: Suspected of causing cancer.

Reproductive Toxicity/Fertility

| Reproductive toxicity | : No data available |
|-----------------------|---------------------|
|-----------------------|---------------------|

No data available

Reproductive Toxicity/Development/Teratogenicity

Revision Date 05.06.2014

Teratogenicity

: No data available

No data available **STOT - single exposure** No data available **STOT - repeated exposure** No data available **Aspiration toxicity**

No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 In accordance with the EWC Waste Regulation the classification of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular waste identification number.
 Completely emptied packagings may be given for recycling.
 Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor.





Sika has agreed disposal contracts for all packaging which is brought into circulation in Germany. For further details see www.sika.de

SECTION 14: Transport information

ADR Not dangerous goods IATA Not dangerous goods IMDG Not dangerous goods

14.6 Special precautions for user No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to EC Directives (1999/45/EC)

÷

Hazard pictograms

| Harmful | | |
|-------------|--------------------|---|
| R-phrase(s) | : R20 R36/37/38 | Harmful by inhalation. Irritating to eyes, respiratory system and skin. |
| | R40 R42/43 | Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. |
| | R48/20 | Harmful: danger of serious damage to health by prolonged exposure through in- halation. |
| S-phrase(s) | : S23 S36/37 | Do not breathe vapour. Wear suitable protective clothing and gloves. |
| | S45 | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). |

Hazardous components which must be listed on the label:



| 618-498-9500-415-1 | Diphenylmethanediisocyanate, isomeres and homologues 4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with butane-1,3-diol, 2,4'-diisocyanatodiphenylmethane, 2,2'-oxydiethanol and propane-1,2-diol | | |
|--|---|--|--|
| Special labelling of cert mixtures | ain : Contains isocyanates. See information supplied by the manu- facturer. | | |
| Prohibition/Restriction: Banned and/or restrictedREACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII): Banned and/or restricted (Diphenylmethanediisocyanate) | | | |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).None of the components are listed (=> 0.1 %). | | | |
| REACH - List of substances subject to authorisation : not applicable (Annex XIV) | | | |
| REACH Information: | Information: All substances contained in our Products are - preregistered or registered by our upstream suppliers, and/or - preregistered or registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. | | |
| Water contaminating cl (Germany) | ass : WGK 1 slightly water endangering Gemäß VwVws vom 30.Juli 2005 | | |
| VOC-CH (VOCV) | : no VOC duties | | |
| VOC-EU (solvent) | : not applicable | | |

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

| Full text of R-Phrases | |
|------------------------|---|
| R20 | Harmful by inhalation. |
| R36/37/38 | Irritating to eyes, respiratory system and skin. |
| R40 | Limited evidence of a carcinogenic effect. |
| R42/43 | May cause sensitisation by inhalation and skin contact. |
| R48/20 | Harmful: danger of serious damage to health by prolonged exposure through inhalation. |

Full text of H-Statements

| H315 | Causes skin irritation. |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |



| H334 | May cause allergy or asthma symptoms or breathing difficulties if in- |
|------|---|
| | haled. |
| H335 | May cause respiratory irritation. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| | if inhaled. |

Full text of other abbreviations

| Acute Tox. | Acute toxicity |
|-------------|--|
| Carc. | Carcinogenicity |
| Eye Irrit. | Eye irritation |
| Resp. Sens. | Respiratory sensitisation |
| Skin Irrit. | Skin irritation |
| Skin Sens. | Skin sensitisation |
| STOT RE | Specific target organ toxicity - repeated exposure |
| STOT SE | Specific target organ toxicity - single exposure |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version !