according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0 Print Date 08.12.2014



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Icosit® KC 340/35 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

Product use : Technical casting compounds.

## 1.3 Details of the supplier of the safety data sheet

Company : Sika Deutschland GmbH

Kornwestheimer Str. 103-107

70439 Stuttgart

: +4971180090 Telephone E-mail address : EHS@de.sika.com

#### 1.4 Emergency telephone number

Emergency telephone num-: 0173-6774799 Out of office hours only

ber EHS@de.sika.com

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Type of product : Mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled. Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eve irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Carcinogenicity, Category 2 H351: Suspected of causing cancer. Specific target organ toxicity - single ex-H335: May cause respiratory irritation.

posure, Category 3, Respiratory system Specific target organ toxicity - repeated

exposure, Category 2 longed or repeated exposure.

## Classification (67/548/EEC, 1999/45/EC)

Harmful R20: Harmful by inhalation.

> R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation.

> H373: May cause damage to organs through pro-

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B





Carcinogenic Category 3 R40: Limited evidence of a carcinogenic effect.

Sensitising R42/43: May cause sensitisation by inhalation and

skin contact.

Irritant R36/37/38: Irritating to eyes, respiratory system

and skin.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through pro-

longed or repeated exposure.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.
P260 Do not breathe dust/ fume/ gas/ mist/ va-

pours/ spray.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P308 + P313 IF exposed or concerned: Get medical ad-

vice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Hazardous components which must be listed on the label:

618-498-9 Diphenylmethanediisocyanate, isomeres and homologues

500-415-1
 4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with

butane-1,3-diol, 2,4'-diisocyanatodiphenylmethane, 2,2'-oxydiethanol

and propane-1,2-diol

# **Additional Labelling:**

Contains isocyanates. May produce an allergic reaction.

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B





#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### **Hazardous components**

Chemical Name CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Diphenylmethanediisocyanate, iso- meres and homologues 9016-87-9 618-498-9	Carc.Cat.3; R40 Xn; R20-R48/20 Xi; R36/37/38 R42/43	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2; H319 Resp. Sens.1; H334 Skin Sens.1; H317 Carc.2; H351 STOT SE3; H335 STOT RE2; H373	>= 25 - < 50
4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with butane-1,3-diol, 2,4'-diisocyanatodiphenylmethane, 2,2'-oxydiethanol and propane-1,2-diol 158885-29-1 500-415-1 01-2119480402-45-XXXX	Carc.Cat.3; R40 Xi; R36/37/38 Xn; R20-R48/20 R42/43	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2; H319 Resp. Sens.1; H334 Skin Sens.1; H317 Carc.2; H351 STOT SE3; H335 STOT RE2; H373	>= 25 - < 50

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Country DE 000000112889

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0 Print Date 08.12.2014

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Rinse mouth with water.

Remove contact lenses.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Asthmatic appearance

Cough

Respiratory disorder Allergic reactions **Excessive lachrymation** 

Erythema Headache Dermatitis

See Section 11 for more detailed information on health effects

and symptoms.

Risks : irritant effects

sensitising effects

## 4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Treatment

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

ucts

Hazardous combustion prod- : No hazardous combustion products are known

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Deny access to unprotected persons.

Country DE 000000112889 4 / 13

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0



# 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol. Avoid exceeding of the given oc-

cupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures

when handling chemical products

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accord-

ance with local regulations.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B





# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### Components with workplace control parameters

Components	CAS-No.	Value	Control parame-	Basis *
			ters *	
Diphenylmethanediisocyanate, isomeres	9016-87-9	AGW	0,05 mg/m3	DE TRGS 900
and homologues				

<sup>\*</sup>The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

# 8.2 Exposure controls

# Personal protective equipment

Eye protection : Safety glasses with side-shields

Eye wash bottle with pure water

Hand protection : Chemical-resistant, impervious gloves complying with an ap-

proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-

facturer specifications.

Suitable for short time use or protection against splashes:

Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed.

Suitable for permanent exposure:

Viton gloves (0.4 mm), breakthrough time >30 min.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing

and stirring work.

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe work-

ing limits of the selected respirator.

Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as-

sessment indicates this is necessary.

organic vapor filter (Type A)

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

Ensure adequate ventilation. This can be achieved by local

Country DE 000000112889

Revision Date 28.11.2014

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B





exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Ensure adequate ventilation, especially in confined areas.

#### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : red brown

Odour : characteristic

Odour Threshold : No data available

Flash point : > 101 °C

Ignition temperature : not applicable

Lower explosion limit (Vol%) : No data available

Upper explosion limit (Vol%) : No data available

Flammability (solid, gas) : No data available

Oxidizing properties : No data available

Auto-ignition temperature : No data available

pH : Note: not applicable

Melting point/range / Freez-

ing point

: No data available

Boiling point/boiling range : No data available

Vapour pressure : No data available

Density : ca.1,23 g/cm3

at 20 °C

Water solubility : No data available

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0 Print Date 08.12.2014

**Jika**®

Partition coefficient: n-

octanol/water

: No data available

Viscosity, dynamic

: ca.140 mPa.s

at 20 °C

Viscosity, kinematic

: > 20,5 mm2/s

at 40 °C

Relative vapour density

: No data available

Evaporation rate

: No data available

#### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

The product is chemically stable.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

# 10.6 Hazardous decomposition products

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

#### **Components:**

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity : LD50 Oral rat: > 10.000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : 1,5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Country DE 000000112889

8 / 13

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0 Print Date 08.12.2014

Method: Expert judgement

Acute dermal toxicity : LD50 Dermal rabbit: > 9.400 mg/kg

4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with butane-1,3-diol, 2,4'-

diisocyanatodiphenylmethane, 2,2'-oxydi:

Acute oral toxicity : LD50 Oral rat: > 5.000 mg/kg

Acute inhalation toxicity : LC50 rat: 0,49 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal rabbit: > 9.400 mg/kg

#### Skin corrosion/irritation

# **Product**

Causes skin irritation.

# Serious eye damage/eye irritation

#### **Product**

Causes serious eye irritation.

# Respiratory or skin sensitisation

# **Product**

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# Germ cell mutagenicity

# **Product**

Mutagenicity : No data available

# Carcinogenicity

# **Product**

Carcinogenicity : Suspected of causing cancer.

# **Reproductive Toxicity/Fertility**

Reproductive toxicity : No data available

## No data available

#### Reproductive Toxicity/Development/Teratogenicity

Teratogenicity : No data available

# No data available

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0



STOT - single exposure

No data available

STOT - repeated exposure

No data available

**Aspiration toxicity** 

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : In accordance with the EWC Waste Regulation the classifica-

tion of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular

waste identification number.

Completely emptied packagings may be given for recycling. Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor. Sika has agreed disposal contracts for all packaging which is

brought into circulation in Germany. For further details see www.sika.de

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0



# **SECTION 14: Transport information**

#### **ADR**

Not dangerous goods

**IATA** 

Not dangerous goods

**IMDG** 

Not dangerous goods

#### 14.6 Special precautions for user

No data available

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to EC Directives (1999/45/EC)

Hazard pictograms :



Harmful

R-phrase(s) : R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and

skin.

R40 Limited evidence of a carcinogenic effect. R42/43 May cause sensitisation by inhalation and

skin contact.

R48/20 Harmful: danger of serious damage to

health by prolonged exposure through in-

halation.

S-phrase(s) : S23 Do not breathe vapour.

S36/37 Wear suitable protective clothing and

gloves.

S45 In case of accident or if you feel unwell,

seek medical advice immediately (show

the label where possible).

Hazardous components which must be listed on the label:

• 618-498-9 Diphenylmethanediisocyanate, isomeres and homologues

• 500-415-1 4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products with

butane-1,3-diol, 2,4'-diisocyanatodiphenylmethane, 2,2'-oxydiethanol

and propane-1,2-diol

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B

Revision Date 28.11.2014 Version 3.0 Print Date 08.12.2014

Sika ®

Special labelling of certain

mixtures

: Contains isocvanates. See information supplied by the manu-

facturer.

**Prohibition/Restriction** 

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Banned and/or restricted

(1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-

rich)

(Diphenylmethanediisocyanate) (4,4'-Methylenediphenyl diisocyanate, oligomeric reaction products

with butane-1,3-diol, 2,4'-

diisocyanatodiphenylmethane, 2,2'-

oxydi)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: None of the components are listed

(=> 0.1 %).

REACH - List of substances subject to authorisation

(Annex XIV)

**REACH Information:** 

: not applicable

All substances contained in our Products are

- preregistered or registered by our upstream suppliers, and/or

preregistered or registered by us, and/or
excluded from the regulation, and/or
exempted from the registration.

Water contaminating class

(Germany)

: WGK 1 slightly water endangering Gemäß VwVws vom 30.Juli 2005

VOC-CH (VOCV) : no VOC duties

VOC-EU (solvent) : not applicable

# 15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

# **SECTION 16: Other information**

## Full text of R-Phrases

R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.
R40 Limited evidence of a carcinogenic effect.

R42/43 May cause sensitisation by inhalation and skin contact.

R48/20 Harmful: danger of serious damage to health by prolonged exposure

through inhalation.

#### **Full text of H-Statements**

H315 Causes skin irritation.

Country DE 000000112889

12 / 13

Revision Date 28.11.2014

according to Regulation (EC) No. 1907/2006

# Icosit® KC 340/35 Part B



H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure

Version 3.0

if inhaled.

#### Full text of other abbreviations

Acute Tox. Acute toxicity
Carc. Carcinogenicity
Eye Irrit. Eye irritation

Resp. Sens. Respiratory sensitisation

Skin Irrit. Skin irritation
Skin Sens. Skin sensitisation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version!