
according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B





### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Icosit® KC 220/60 TX Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Deutschland GmbH

Kornwestheimer Str. 103-107

D-70439 Stuttgart

Telephone : +49 711 8009 0 E-mail address of person : EHS@de.sika.com

responsible for the SDS

## 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number):

GBK GmbH Global Regulatory Compliance +49(0)6132-84463

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Type of product : Mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.
Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P261 Avoid breathing dust/ fume/ gas/ mist/ va-

pours/ spray.

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B



P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin

with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Im-

mediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a

POISON CENTER/doctor.

Hazardous components which must be listed on the label:

203-986-2
3,6,9-triazaundecamethylenediamine
217-168-8
4,4'-methylenebis(cyclohexylamine)

• 205-411-0 2-piperazin-1-ylethylamine

• 202-013-9 2,4,6-tris(dimethylaminomethyl)phenol

• 273-309-3 Hydrocarbons, terpene processing by-products

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous components**

Chemical name	Classification	Concentration
CAS-No.	(REGULATION (EC)	[%]
EC-No.	No 1272/2008)	
Registration number		
3,6,9-triazaundecamethylenediamine	1; H318	>= 10 - < 20
112-57-2	Acute Tox.4; H302	
203-986-2	Acute Tox.4; H312	
01-2119487290-37-XXXX (covered by CAS 90640-66-7)	Skin Corr.1B; H314	
	Skin Sens.1; H317	
	Aquatic Chronic2;	
	H411	
bis(isopropyl)naphthalene	Asp. Tox.1; H304	>= 5 - < 10
38640-62-9	Aquatic Chronic1;	
254-052-6	H410	
01-2119565150-48-XXXX		
4,4'-methylenebis(cyclohexylamine)	Acute Tox.4; H302	>= 5 - < 10
1761-71-3	Skin Corr.1B, H314	
217-168-8	Eye Dam.1, H318	

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B



Revision Date 16.02.2017 Version 5.0 Print Date 16.02.2017

01-2119541673-38-XXXX	Skin Sens.1B; H317 STOT RE2; H373	
benzyl alcohol 100-51-6 202-859-9 01-2119492630-38-XXXX	Acute Tox.4; H302 Acute Tox.4; H332 Eye Irrit.2; H319	>= 2,5 - < 5
2-piperazin-1-ylethylamine 140-31-8 205-411-0 01-2119471486-30-XXXX Contains: 2-(2-aminoethylamino)ethanol <= 0,29 %	Acute Tox.3; H311 Acute Tox.4; H302 Skin Corr.1B; H314 Skin Sens.1; H317 Aquatic Chronic3; H412	>= 3 - < 5
2,4,6-tris(dimethylaminomethyl)phenol 90-72-2 202-013-9 01-2119560597-27-XXXX Contains: bis[(dimethylamino)methyl]phenol <= 15 %	Skin Sens.1B; H317 1C; H314 Aquatic Chronic3; H412 Acute Tox.4; H302 1; H318	>= 1 - < 2,5
Terpineol 8000-41-7 232-268-1	Skin Irrit.2; H315 Eye Irrit.2; H319	>= 1 - < 2,5
Hydrocarbons, terpene processing by-products 68956-56-9 273-309-3 01-2119980606-28-XXXX	Flam. Liq.3; H226 Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1; H317 Asp. Tox.1; H304 Aquatic Chronic2; H411	>= 0,25 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

ty.

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B



Revision Date 16.02.2017 Version 5.0

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Do not induce vomiting without medical advice.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** : Allergic reactions

**Dermatitis** 

See Section 11 for more detailed information on health effects

and symptoms.

Risks : Health injuries may be delayed.

> corrosive effects sensitising effects

May cause an allergic skin reaction.

Causes serious eve damage.

Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

ucts

Hazardous combustion prod- : No hazardous combustion products are known

### 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

> must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accord-

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B





ance with local regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Deny access to unprotected persons.

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist. Avoid exceeding the

given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene

measures when handling chemical products

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-

Country DE 000000116200

5 / 14

## according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B

Revision Date 16.02.2017 Version 5.0 Print Date 16.02.2017

sealed and kept upright to prevent leakage. Store in accord-

ance with local regulations.

Storage class (TRGS 510) : 8A, Combustible, corrosive hazardous materials

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Eye wash bottle with pure water

Wear eye/face protection.

Hand protection : Chemical-resistant, impervious gloves complying with an ap-

proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-

facturer specifications.

Suitable for short time use or protection against splashes:

Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed.

Suitable for permanent exposure:

Viton gloves (0.4 mm), breakthrough time >30 min.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing

and stirring work.

Respiratory protection : No special measures required.

### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B

Revision Date 16.02.2017 Version 5.0



respective authorities.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : viscous
Colour : brown

Odour : amine-like

Odour Threshold : No data available

Flash point :  $> 101 \,^{\circ}\text{C}$ 

Autoignition temperature : No data available

Decomposition temperature : No data available

Lower explosion limit (Vol-%) : No data available

Upper explosion limit (Vol-%) : No data available

Flammability : No data available

Explosive properties : No data available

Oxidizing properties : No data available

pH : ca. 11

Melting point/range / Freez-

ing point
Boiling point/boiling range

Vapour pressure

nge / Freez- : No data available

Density : ca.1,7 g/cm3

at 20 °C

: 0,01 hPa

: No data available

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity, dynamic : ca.20.000 mPa.s

at 25 °C

Viscosity, kinematic : > 20,5 mm2/s

at 40 °C

Relative vapour density : No data available

Evaporation rate : No data available

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B

Revision Date 16.02.2017 Version 5.0 Print Date 16.02.2017



#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

## 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

Not classified based on available information.

#### **Components:**

## 3,6,9-triazaundecamethylenediamine:

Acute oral toxicity : LD50 Oral (Rat): 1.716,2 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): 1.260 mg/kg

## bis(isopropyl)naphthalene:

Acute oral toxicity : LD50 Oral (Rat): > 3.900 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,64 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rat): > 4.500 mg/kg

#### 4,4'-methylenebis(cyclohexylamine):

Acute oral toxicity : LD50 Oral (Rat): 625 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 2.110 mg/kg

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B

Revision Date 16.02.2017 Version 5.0 Print Date 16.02.2017



benzyl alcohol:

Acute oral toxicity : LD50 Oral (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

2-piperazin-1-ylethylamine:

Acute oral toxicity : LD50 Oral (Rabbit): ca. 2.097 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 866 mg/kg

#### Skin corrosion/irritation

Causes severe burns.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information.

#### **Components:**

### 4,4'-methylenebis(cyclohexylamine):

Test Type: Buehler Test

Assessment: The product is a skin sensitiser, sub-category 1B. Result: The product is a skin sensitiser, sub-category 1B.

#### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

### **Components:**

## 4,4'-methylenebis(cyclohexylamine):

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B

Print Date 16.02.2017 Revision Date 16.02.2017 Version 5.0

aguatic invertebrates (Chron-

Toxicity to daphnia and other : EC50: 6,84 mg/l, 48 h, Daphnia magna (Water flea)

ic toxicity)

benzyl alcohol:

Toxicity to fish LC50: > 100 mg/l, 96 h, Fish

Toxicity to daphnia and other : EC50: > 100 mg/l, 48 h, Daphnia magna (Water flea)

aquatic invertebrates

2-piperazin-1-ylethylamine:

Toxicity to fish : LC50 > 100 mg/l, 96 h, Fish

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to algae : EC50: > 10 - 100 mg/l, 72 h, Scenedesmus capricornutum

(fresh water algae)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : In accordance with the EWC Waste Regulation the classifica-

> tion of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular

waste identification number.

Completely emptied packagings may be given for recycling.

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B





Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor. Sika has agreed disposal contracts for all packaging which is brought into circulation in Cormany.

brought into circulation in Germany. For further details see www.sika.de

## **SECTION 14: Transport information**

**ADR** 

**14.1 UN number** : 1760

**14.2 Description of the goods** : CORROSIVE LIQUID, N.O.S.

(4,4'-methylenebis(cyclohexylamine), 3,6,9-

triazaundecamethylenediamine)

14.3 Class: 814.4 Packing group: IIClassification Code: C9Labels: 8Tunnel restriction code: (E)14.5 Environmentally hazard-: yes

ous

**IATA** 

**14.1 UN number** : 1760

**14.2 Description of the goods** : Corrosive liquid, n.o.s.

(4,4'-methylenebis(cyclohexylamine), 3,6,9-

triazaundecamethylenediamine)

 14.3 Class
 : 8

 14.4 Packing group
 : II

 Labels
 : 8

 14.5 Environmentally hazard : yes

ous

**IMDG** 

**14.1 UN number** : 1760

**14.2 Description of the goods** : CORROSIVE LIQUID, N.O.S.

(4,4'-methylenebis(cyclohexylamine), 3,6,9-

triazaundecamethylenediamine)

 14.3 Class
 : 8

 14.4 Packing group
 : II

 Labels
 : 8

 EmS Number 1
 : F-A

 EmS Number 2
 : S-B

 14.5 Marine pollutant
 : yes

#### 14.6 Special precautions for user

No data available

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B

Revision Date 16.02.2017 Version 5.0



## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Prohibition/Restriction

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: None of the components are listed

(=> 0.1 %).

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

**REACH Information:** All substances contained in our Products are

- preregistered or registered by our upstream suppliers, and/or

- preregistered or registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma-

jor-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E2 **ENVIRONMENTAL** 200 t 500 t

**HAZARDS** 

Water contaminating class : WGK 3 highly water endangering

(Germany)

VOC-CH (VOCV) : no VOC duties

VOC-EU (solvent) : 5.2 %

#### 15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
<b>⊔</b> 315	Causes skin irritation

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Revision Date 16.02.2017

according to Regulation (EC) No. 1907/2006

## Icosit® KC 220/60 TX Part B



H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Version 5.0

#### Full text of other abbreviations

Acute Tox. Acute toxicity

Aquatic Chronic
Asp. Tox.
Eye Dam.
Eye Irrit.
Chronic aquatic toxicity
Aspiration hazard
Serious eye damage
Eye irritation

Flam. Liq. Flammable liquids
Skin Corr. Skin corrosion
Skin Irrit. Skin irritation
Skin Sens. Skin sensitisation

STOT RE Specific target organ toxicity - repeated exposure

ADR Accord européen relatif au transport international des marchandises

Dangereuses par Route

CAS Chemical Abstracts Service DNEL Derived no-effect level

EC50 Half maximal effective concentration

GHS Globally Harmonized System

IATA International Air Transport Association

IMDG International Maritime Code for Dangerous Goods

LD50 Median lethal dosis (the amount of a material, given all at once, which

causes the death of 50% (one half) of a group of test animals)

LC50 Median lethal concentration (concentrations of the chemical in air that

kills 50% of the test animals during the observation period)

MARPOL International Convention for the Prevention of Pollution from Ships,

1973 as modified by the Protocol of 1978

OEL Occupational Exposure Limit

PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration

REACH Regulation (EC) No 1907/2006 of the European Parliament and of the

Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a

**European Chemicals Agency** 

SVHC Substances of Very High Concern

vPvB Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

according to Regulation (EC) No. 1907/2006

# Icosit® KC 220/60 TX Part B

Revision Date 16.02.2017 Version 5.0



Print Date 16.02.2017